

62

1959

Smith's Nursery


1615 N. E. 36th St.
OAKLAND PARK
FORT LAUDERDALE, FLORIDA

RETAIL PRICE LIST OF PALMS

PHONE LO 4-3450

Producers — Exporters — Importers

Agricultural and Ornamental
TROPICAL PLANTS



These prices include packing and delivery to carrier. They do not include transportation.

Persons coming to the Nursery and purchasing on a cash and carry basis are granted a 20% discount on all items listed herein.

We have many other palms in groups too few to list so if you don't find what you want listed here, drop us an inquiry as we may have it.

These prices are as of April 15, 1959 and are subject to change without notice.

We make no warranty, expressed or implied as to the future life of these palms. Neither do we guarantee them to actually be correctly named. We are growers, not taxonomists. These Palms are listed as they were classified at their various points of origin and we herein state that we have done all that is humanly possible to keep their identities correct. In any event our liability shall in no case exceed the F.O.B. cost as listed herein.

SMITH'S NURSERY

By JAMES E. SMITH, Owner



Palm List 1959

| | | | |
|--|-------|--------|---------------|
| <i>Acanthoriza</i> . See <i>Cryosophila</i> | | | |
| <i>Acrocomia belizensis</i> | 5qts. | \$4.50 | |
| <i>mexicana</i> | 5qts. | 4.50 | |
| <i>sclerocarpa</i> | 5qts. | 4.50 | |
| <i>Actinophloeus</i> . See <i>Ptychosperma</i> | | | |
| <i>Adonidia</i> . See <i>Veitchia</i> | | | |
| <i>Areca Aliciae</i> | 5qts. | 7.50 | |
| <i>Catechu</i> | 5qts. | 7.50 | |
| <i>concinna</i> | 5qts. | 7.50 | |
| <i>triandra</i> | 1qts | 3.50 | |
| <i>Arecastrum Romanzoffianum</i> | 1qt. | .50 | Field \$12.50 |
| <i>Arenga Engleri</i> | 1qt. | 3.50 | |
| sp. <i>Dwarf</i> | 1qt. | 3.50 | |
| <i>Arikunyroba schizophylla</i> | 1qt. | .75 | 5gal. \$7.50 |
| <i>Astrocaryum panamensis</i> | 1qt. | 7.50 | |
| <i>Wallacei</i> | 1gal. | 15.00 | |
| <i>Alphanes</i> | | | |
| <i>Acanthophylla</i> | 1qt. | .50 | Field \$10.00 |
| <i>Caryotapodia</i> | 1qt. | .50 | Field \$10.00 |
| <i>Bactris balanoidea</i> | 1qt. | 4.00 | |
| <i>trichophylla</i> | 1qt. | 4.00 | |
| sp. 1. <i>Panama</i> | 1qt. | 4.00 | |
| sp. 2. <i>Costa Rica</i> | 1qt. | 4.00 | |
| <i>Bentinckia nicobarica</i> | 3gal. | 10.00 | |
| <i>Bismarckia nobilis</i> | 5gal. | 12.50 | |
| <i>Butia capitata</i> | 3gal. | 3.75 | |
| <i>Chamaedorea costaricana</i> | 5gal. | 4.50 | |
| <i>elegans</i> | 3gal. | 4.00 | |
| <i>Ernesti-Augustii</i> | 1qt. | 7.50 | |
| <i>erumpens</i> | 3gal. | 4.00 | |
| <i>falcifera</i> | 1qt. | 7.50 | |
| <i>geonomiformis</i> | 1gal. | 3.00 | |
| <i>glaucifolia</i> | 1qt. | 7.50 | |
| <i>neuroclamys</i> | 1qt. | 7.50 | |
| <i>radicalis</i> | 3gal. | 5.00 | |
| <i>Schiedeana</i> | 1qt. | 2.50 | |
| <i>Tepejilote</i> | 3gal. | 4.50 | |
| sp. <i>El Salvador #1</i> | 1qt. | 6.00 | |
| sp. <i>El Salvador # 2</i> | 1qt. | 6.00 | |

#2 Palm List 1959 cont.

| | | | |
|--|---|----------------------|--------------------|
| <i>Chamaerops excelsa</i> | 1qt. | \$1.00 | |
| <i>humilis</i> | 1qt. | 1.00 | |
| var. <i>Canariensis</i> | 1qt. | 1.00 | |
| <i>Chrysalidocarpus lutescens</i> | Any size | \$.25 to \$75.00 | |
| <i>madagascariensis</i> | 1gal. | 5.00 | 3gal. \$7.50 |
| sp. "Cabada Palm" | Field per foot \$7.00 | | |
| sp. Single yellow trunk, glaucous leaves | 1qt. | \$2.25 | |
| <i>Coccothrinax alta</i> | 1gal. | 7.50 | |
| <i>argentata</i> | 1qt. | .65 | |
| "barbadensis" | 1gal. | 7.50 | |
| <i>crinita</i> | 1gal. | 7.50 | |
| <i>Martii</i> | | | |
| <i>Miraguama</i> | 3gal. | 7.50 | |
| var. <i>novo-geronensis</i> | 5qt. | 7.50 | |
| sp. From Watkins Island, Bahamas | 1qt. | 3.50 | |
| <i>Cocos nucifera</i> | \$1.00 per foot to 8 feet, sprouts \$1.50 | | |
| <i>Copernicia glabrescens</i> | 1gal. | 7.50 | |
| <i>occidentalis</i> | 1gal. | 7.50 | |
| <i>parviflora</i> | 1gal. | 7.50 | |
| <i>Torreana</i> | 1gal. | 7.50 | |
| sp. From Sabalo (Tarpon) Western Cuba | 1gal. | \$7.50 | |
| <i>Corypha elata</i> | 1gal. | 4.50 | |
| <i>Cryosophida nana</i> | 1qt. | .90 | |
| <i>Desmoncus quassilliarus</i> | 1gal. | 2.50 | |
| <i>Dictyosperma album</i> | 1qt. \$1.50, 1gal. \$1.00, | Field \$5.00 per ft. | |
| var. <i>rubrum</i> | Field \$5.00 per ft. | | |
| <i>furfuraceum</i> | Field \$5.00 per ft. | | |
| <i>Diplazium maritimum</i> | 1qt. | 9.00 | |
| <i>Dryophloeus Beguinii</i> | 1qt. | 1.50 | 3gal. 7.50 |
| <i>Dypsis pinnatifrons</i> . See <i>Ptychosperma</i> | | | |
| <i>Elaeis guineensis</i> | 1gal. | 1.25 | Field \$4.00 a ft. |
| <i>osseo</i> | 1gal. | 1.25 | Field \$4.00 a ft. |
| <i>Erythea Brandegeei</i> | 1qt. | 2.50 | |
| <i>edulis</i> | 1qt. | 2.50 | |
| <i>Euterpe macrospadix</i> | 1gal. | 4.50 | |
| <i>panamensis</i> | 5qt. | 15.00 | |
| <i>Geonoma binervia</i> | 1qt. | 1.50 | |
| <i>longipedunculata</i> (<i>longipetiolata</i>) | 1qt. | 1.50 | |
| <i>Goussia princeps</i> | 1qt. | 3.50 | |

#3 Palm List 1959 cont.

| | | | | |
|--|-----------------------|-------------|---------------------|---------|
| <i>Heterospathe elata</i> | 1qt. | \$2.75 | | |
| <i>Howeia Belmoreana</i> | 1qt. .50, 1gal. | 1.00, 3gal. | 5.00 | |
| <i>Forsteriana</i> | 1qt. .50, 1gal. | 1.00, 3gal. | 5.00 | |
| sp. Purplish leaf stems. Considered to be a species of <i>Clinostigma</i> by some palm students | 1qt. .50 1gal. | 1.00 3gal. | 5.00 | |
| <i>Hyphaene thebaica</i> | 5gal. seedlings | \$20.00 | | |
| <i>Jubaea spectabilis</i> | 5qt. seedlings | \$ 5.00 | | |
| <i>Latania borbonica</i> | 3gal. | 7.50 | | |
| <i>Licuala amplifrons</i> | 1gal. | 7.50 | | |
| <i>elegans</i> | 1gal. | 7.50 | | |
| <i>grandis</i> | 1qt. | 1.75 | | |
| <i>peltata</i> | 1gal. | 7.50 | | |
| <i>spinosa</i> | 1gal. | 7.50 | | |
| <i>Livistona altissima (rotundifolia)</i> | 1gal. | 4.00 | | |
| <i>australis</i> | 1gal. | 3.50 | | |
| <i>chinensis</i> | 5gal. | 5.00 | | |
| <i>Hoogendorpii (decipiens)</i> | 1gal. | 5.00 | | |
| <i>Loddigesii</i> | 1gal. | 7.50 | | |
| <i>Mariae</i> | 1gal. | 7.50 | | |
| <i>Mascarena lagenicaulis (amaricaulis)</i> | 1gal. | 7.50 | | |
| <i>Verschaffeltii</i> | 1qt. | .90 | | |
| <i>Oncosperma</i> sp. | 1gal. | 7.50 | | |
| <i>Orbignya cohune</i> | 5qt. | 7.50 | | |
| sp. " <i>Schreelea zonensis</i> " | 5qt. | 7.50 | | |
| <i>Paurotis Wrightii</i> | 1qt. | .25 | Field \$3.00 a foot | |
| var. from northern British Honduras that is dwarfed. It comes true to seed. No further proof is necessary to make it a variety, if not a species. 1qt. \$.50 | | | | |
| <i>Phoenix acaulis</i> | Rooted suckers \$6.00 | | | |
| <i>canariensis</i> | 1gal. | .50 | Field 6 foot | \$16.00 |
| <i>dactylifera</i> | 5gal. | 2.50 | | |
| <i>leonensis</i> | Seedlings | 1.25 | | |
| <i>pusilla</i> | Seedlings | 1.25 | | |
| <i>reclinata</i> | Field large | 22.50 | | |
| <i>Roebelenii</i> | 1qt. | .50 | Field | \$10.00 |
| <i>spinosa</i> | | | | |
| <i>zeylanica</i> | 1qt. | 1.25 | 1gal. | 3.00 |

#4 Palm List 1959 Cont.

| | | | | |
|---|---|---------|-------|--------|
| <i>Piranga Kuhlii</i> | 1qt. | \$7.50 | 5gal. | \$9.50 |
| <i>Polyandrococos caudescens</i> | 1qt. | 7.50 | 5qt. | 5.00 |
| <i>Ponapea hosinovi</i> (ptychosperma) | 5qt. | 45.00 | | |
| <i>Ptychosperma elegans</i> | Field per ft | 1.00 | | |
| <i>MacArthurii</i> | 1gal. | 1.00 | | |
| <i>propinquus</i> | 3ft. | 10.00 | | |
| <i>Sanderianus</i> | Field large | 35.00 | | |
| <i>sp. from Nassau</i> | Seedlings | .50 | | |
| <i>sp. very thin pinnae</i> | Seedlings | .50 | | |
| <i>sp. like elegans but multiple-stemmed. A truly magnificent palm.</i> | 5qt. | \$10.00 | | |
| <i>sp. "Ragey"</i> | 1gal. | 2.00 | | |
| <i>Ptychoraphis augusta</i> | 1qt. | 7.50 | | |
| <i>Raphis excelsa</i> | Small clumps | 2.50 | | |
| <i>flabelliformis</i> | Small clumps | 2.50 | | |
| <i>sp. Grows in full sun.</i> | Small clumps | 9.00 | | |
| <i>Rhyticocos amara</i> | 1qt. | 5.00 | | |
| <i>Roystonea borinquena</i> | 6 foot | 35.00 | | |
| <i>elata</i> | Any size or price | | | |
| <i>Jesmaniana</i> | 1qt. | 7.50 | 5qt. | 12.50 |
| <i>oleracea</i> | Field a ft. | 1.00 | | |
| <i>regia</i> | Any size or price | | | |
| <i>Sabal bermudana</i> | Seedlings | 1.00 | | |
| <i>causiarum</i> | Any size or price | | | |
| <i>glauscesens</i> | 1qt. | 1.00 | | |
| <i>mauritiaeformis</i> | 1qt. | 1.00 | 5gal. | 7.50 |
| <i>mayarum</i> | Field | 50.00 | | |
| <i>mexicana</i> | Field | 8.00 | | |
| <i>minor</i> | Any size or price | | | |
| <i>var. Deeringiana</i> (Louisiana) | Seedlings | 1.00 | | |
| <i>Morrisiana</i> | 1qt. | 1.00 | | |
| <i>nematoclada</i> | 1qt. | 1.00 | | |
| <i>Palmetto</i> | Any size or price | | | |
| <i>parviflora</i> | Any size or price | | | |
| <i>umbraiculifera</i> | Field | 20.00 | | |
| <i>yapa (japa)</i> | Field | 35.00 | | |
| <i>Serenoa repens</i> | Coastal grey-leaved variety and yellow, any size or price | | | |
| <i>Syagrus coronata</i> | Seedlings | 5.00 | | |
| <i>Synechanthus angustifolius</i> | 1qt. | 7.50 | | |
| <i>fibrosus</i> | 1qt. | 7.50 | | |
| <i>sp. from Maya Mts., British Honduras</i> | 1qt. | 7.50 | | |

#5 Palm List 1959 Cont.

| | | |
|---|-------------------|--------|
| <i>Thrinax alta</i> | 1gal | \$7.50 |
| <i>microcarpa</i> | 1qt | 2.50 |
| <i>parviflora</i> | 3gal | 8.00 |
| <i>Wendlandiana</i> | 3gal | 8.00 |
| <i>Trachycarpus Martiana</i> | 5qt | 7.50 |
| <i>Tahit</i> | 1qt | 7.50 |
| <i>Veitchia Merrillii</i> | Any size or price | |
| <i>Montgomeryana</i> | | |
| <i>Wirin</i> | 1gal | 7.50 |
| <i>Washingtonia filifera</i> | Field small | 3.00 |
| <i>robusta</i> | Field small | 3.00 |
| <i>Zombia antillarum</i> | 1qt | 7.50 |
| <i>Unidentified sp. from British Honduras. Superficially Thrinax-like</i> | | |
| <i>in appearance. Very rapid grower in acid soil</i> | | |
| | 5qt | 7.50 |

Smith's Nursery

1615 N. E. 36th St.
OAKLAND PARK
FORT LAUDERDALE, FLORIDA

PHONE LO 4-3450

U. S. DEPARTMENT OF AGRICULTURE

LIBRARY

WASHINGTON 25, D. C.

OFFICIAL BUSINESS



POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

U. S. DEPT. OF AGRICULTURE
LIBRARY - DIVISION OF BIBLIOGRAPHY
WASHINGTON 25, D. C.